

FABRISORB

WE ARE
ACOUSTICAL SURFACES

www.acousticalsurfaces.in

U.S.A.

Acoustical Surfaces Inc.
123 Columbia Court North
Suite 201 Chaska
MN 55318, USA

INDIA

Acoustical Surfaces Industries LLP.
3/534, Kuruman Thottam
Kallipalayam (P.O)
Coimbatore - 641107
Tamil Nadu, India
Tel: +91-80-257 22022

ACOUSTICAL SURFACES
STOP NOISE



ACOUSTICAL CLOUDS

Acoustically enhanced decorative clouds are designed for all types of ceilings that improves the acoustic quality of all types of spaces. These acoustical clouds are great for offices, schools, meeting rooms, music rooms, hotels, auditoriums, recording studios, broadcasting studios.

➔ PRODUCT SPECIFICATIONS

Core	96kg/m3 Fiberglass Insulation with tissue facing
Thickness (mm)	20 – 25 – 40 – 50 mm, custom thickness are also available
Sizes (mm)	600 x 600 - 600 x 1200 - 1200 x 1200 - 1200 x 2400 & many more custom sizes
Acoustic Properties	NRC 0.75 – 1.15 (varies with thickness and mounting)
Edges	Concealed and Hardened
Edge Finishes	Square / Radius / Bevel / Half Bevel
Facing	Fabric
Colours	Wide range of standard colours. Also available in custom colours
Flamability	Tested as per ASTM E84 and classified as Class A
Mounting type	Type A, E200 & E400
Installation	Adhesive, Velcro, Impaling clips, Z clips, Aluminium layin channels etc.

SOUND ABSORPTION COEFFICIENTS

Thickness	125Hz	250Hz	500Hz	1KHz	2KHz	4KHz	NRC
20mm	0.07	0.32	0.75	0.99	0.93	0.85	0.75
25mm	0.09	0.40	0.91	0.97	0.92	0.86	0.80
40mm	0.17	0.82	0.94	0.98	0.88	0.83	0.90
50mm	0.22	0.81	1.24	1.30	1.21	1.16	1.15